NEUROPHARMACOLOGY

CONTENTS OF VOLUME 42

NUMBER 1

S. Kanumilli, N.J. Toms, K. Venkateswarlu, H. Mellor, P.J. Roberts	Functional coupling of rat metabotropic glutamate 1a receptors to phospholipase D in CHO cells: involvement of extracellular Ca^{2+}, protein kinase C, tyrosine kinase and Rho-A	1
D.B. Pereira, A.P. Carvalho, C.B. Duarte	Non-specific effects of the MEK inhibitors PD098,059 and U0126 on glutamate release from hippocampal synaptosomes	9
M. Díaz-Hernández, J. Pintor, E. Castro, M.T. Miras-Portugal	Co-localisation of functional nicotinic and ionotropic nucleotide receptors in isolated cholinergic synaptic terminals	20
W. Hevers, H. Lüddens	Pharmacological heterogeneity of γ-aminobutyric acid receptors during development suggests distinct classes of rat cerebellar granule cells in situ	34
G.C.D. Eichenberger, S.J. Ribeiro, M.Y. Osaki, R.Y. Maruoka, G.C.C. Resende, L. Castellan-Baldan, S.A.L. Corrêa, L.A. Da Silva, N.C. Coimbra	Neuroanatomical and psychopharmacological evidence for interaction between opioid and GABAergic neural pathways in the modulation of fear and defense elicited by electrical and chemical stimulation of the deep layers of the superior colliculus and dorsal periaqueductal gray matter	48
M.T. Vilaró, T. Doménech, J.M. Palacios, G. Mengod	Cloning and characterization of a novel human 5-HT_4 receptor variant that lacks the alternatively spliced carboxy terminal exon. RT-PCR distribution in human brain and periphery of multiple 5-HT_4 receptor variants	60
D.R. Thomas, P.J. Atkinson, P.G. Hastie, J.C. Roberts, D.N. Middlemiss, G.W. Price	[^{3}H]-SB-269970 radiolabels 5-HT_7 receptors in rodent, pig and primate brain tissues	74
C.H. Gill, E.M. Soffin, J.J. Hagan, C.H. Davies	5-HT_7 receptors modulate synchronized network activity in rat hippocampus	82
J. Pollock, S.M. McFarlane, M.C. Connell, U. Zehavi, P. Vandenabeele, D.J. MacEwan, R.H. Scott	TNF-α receptors simultaneously activate Ca^{2+} mobilisation and stress kinases in cultured sensory neurones	93
M. Jeub, H. Beck, E. Siep, C. Rüschenschmidt, E.-J. Speckmann, U. Ebert, H. Potschka, C. Freichel, E. Reissmüller, W. Löscher	Effect of phenytoin on sodium and calcium currents in hippocampal CA1 neurons of phenytoin-resistant kindled rats	107
A. Barbelivien, J. Jolkkonen, E. Rutkauskaite, J. Sirviö, J. Sivenius	Differentially altered cerebral metabolism in ischemic rats by α_2-adrenoceptor blockade and its relation to improved limb-placing reactions	117
E.M. Soffin, M.L. Evans, C.H. Gill, M.H. Harries, C.D. Benham, C.H. Davies	SB-334867-A antagonises orexin mediated excitation in the locus coeruleus	127
M. Odorizzi, B. Fernette, E. Angel, C. Burlet, P. Tankosic, A. Burlet	Galanin receptor antagonists decrease fat preference in Brattleboro rat	134

NUMBER 2

J.T. Lazzaro, A.V. Paternain, J. Lerma, B.L. Chenard, F.E. Ewing, J. Huang, W.M. Welch, A.H. Ganong, F.S. Menniti	Functional characterization of CP-465,022, a selective, noncompetitive AMPA receptor antagonist	143
H.C. Dringenberg, P. Diavolitsis	Electroencephalographic activation by fluoxetine in rats: role of 5-HT_{1A} receptors and enhancement of concurrent acetylcholinesterase inhibitor treatment	154
S.K. Hemrick-Luecke, D.C. Evans	Comparison of the potency of MDL 100,907 and SB 242084 in blocking the serotonin $(5\text{-HT})_2$ receptor agonist-induced increases in rat serum corticosterone concentrations: evidence for 5-HT_{2A} receptor mediation of the HPA axis	162
K.J. Frantz, K.J. Hansson, D.G. Stouffer, L.H. Parsons	5-HT_6 receptor antagonism potentiates the behavioral and neurochemical effects of amphetamine but not cocaine	170
S.X.-M. Li, K.W. Perry, D.T. Wong	Influence of fluoxetine on the ability of bupropion to modulate extracellular dopamine and norepinephrine concentrations in three mesocorticolimbic areas of rats	181
P. Follesa, L. Mancuso, F. Biggio, E. Cagetti, M. Franco, G. Trapani, G. Biggio	Changes in $GABA_A$ receptor gene expression induced by withdrawal of, but not by long-term exposure to, zaleplon or zolpidem	191

Y. He, A. Benz, T. Fu, M. Wang, D.F. Covey, C.F. Zorumski, S. Mennerick	Neuroprotective agent riluzole potentiates postsynaptic $GABA_A$ receptor function	199
A.I. Herrero, N. Del Olmo, J.R. González-Escalada, J.M. Solís	Two new actions of topiramate: inhibition of depolarizing $GABA_A$-mediated responses and activation of a potassium conductance	210
D.F. Boyd, A. Mathie	Inhibition of the potassium current IK_{SO}, in cerebellar granule cells, by the inhibitors of MEK1 activation, PD 98059 and U 0126	221
K. Fink, D.J. Dooley, W.P. Meder, N. Suman-Chauhan, S. Duffy, H. Clusmann, M. Göthert	Inhibition of neuronal Ca^{2+} influx by gabapentin and pregabalin in the human neocortex	229
A.R. Cools, L. Lubbers, R.V. van Oosten, G. Andringa	SKF 83959 is an antagonist of dopamine D1-like receptors in the prefrontal cortex and nucleus accumbens: a key to its antiparkinsonian effect in animals?	237
L.-C. Chiou, S.-H. Fan, R. Guerrini, G. Caló	[$Nphe^1$]N/OFQ-(1-13)-NH_2 is a competitive and selective antagonist at nociceptin/orphanin FQ receptors mediating K^+ channel activation in rat periaqueductal gray slices	246
H.E. Shannon, E.A. Lutz	Comparison of the peripheral and central effects of the opioid agonists loperamide and morphine in the formalin test in rats	253
B. Zhang, L. Yang, Y. Konishi, N. Maeda, M. Sakanaka, J. Tanaka	Suppressive effects of phosphodiesterase type IV inhibitors on rat cultured microglial cells: comparison with other types of cAMP-elevating agents	262
M.J. Moreno, J.A. Terrón, D.B. Stanimirovic, H. Doods, E. Hamel	Characterization of calcitonin gene-related peptide (CGRP) receptors and their receptor-activity-modifying proteins (RAMPs) in human brain microvascular and astroglial cells in culture	270
A. Blume, C. Neumann, M. Dorenkamp, J. Culman, T. Unger	Involvement of adrenoceptors in the angiotensin II-induced expression of inducible transcription factors in the rat forebrain and hypothalamus	281

NUMBER 3

S. Prisco, S. Natoli, G. Bernardi, N.B. Mercuri	Group I metabotropic glutamate receptors activate burst firing in rat midbrain dopaminergic neurons	289
D. Dietrich, T. Kral, H. Clusmann, M. Friedl, J. Schramm	Presynaptic group II metabotropic glutamate receptors reduce stimulated and spontaneous transmitter release in human dentate gyrus	297
J.-H. Luo, Z.-Y. Fu, G. Losi, B.G. Kim, K. Prybylowski, B. Vissel, S. Vicini	Functional expression of distinct NMDA channel subunits tagged with green fluorescent protein in hippocampal neurons in culture	306
P.L. Chazot, S. Lawrence, C.I. Thompson	Studies on the subtype selectivity of CP-101,606: evidence for two classes of NR2B-selective NMDA receptor antagonists	319
P. Follesa, P. Porcu, C. Sogliano, M. Cinus, F. Biggio, L. Mancuso, M.C. Mostallino, A.M. Paoletti, R.H. Purdy, G. Biggio, A. Concas	Changes in $GABA_A$ receptor γ_2 subunit gene expression induced by long-term administration of oral contraceptives in rats	325
K. Nishikawa, A. Jenkins, I. Paraskevakis, N.L. Harrison	Volatile anesthetic actions on the $GABA_A$ receptors: contrasting effects of α1(S270) and β2(N265) point mutations	337
P. Poulain, D.G. Margineanu	Levetiracetam opposes the action of $GABA_A$ antagonists in hypothalamic neurones	346
D.J. Martin, D. McClelland, M.B. Herd, K.G. Sutton, M.D. Hall, K. Lee, R.D. Pinnock, R.H. Scott	Gabapentin-mediated inhibition of voltage-activated Ca^{2+} channel currents in cultured sensory neurones is dependent on culture conditions and channel subunit expression	353
G. Battaglia, C.L. Busceti, L. Cuomo, F.S. Giorgi, F. Orzi, A. De Blasi, F. Nicoletti, S. Ruggieri, F. Fornai	Continuous subcutaneous infusion of apomorphine rescues nigro-striatal dopaminergic terminals following MPTP injection in mice	367
C. Donaldson, P.M. Boers, K.L. Hoskin, A.S. Zagami, G.A. Lambert	The role of 5-HT_{1B} and 5-HT_{1D} receptors in the selective inhibitory effect of naratriptan on trigeminovascular neurons	374
S.G. Salih, D.J. Jagger, G.D. Housley	ATP-gated currents in rat primary auditory neurones in situ arise from a heteromultimetric P2X receptor subunit assembly	386
J.P. Hannon, C. Petrucci, D. Fehlmann, C. Viollet, J. Epelbaum, D. Hoyer	Somatostatin sst_2 receptor knock-out mice: localisation of sst_{1-5} receptor mRNA and binding in mouse brain by semi-quantitative RT–PCR, in situ hybridisation histochemistry and receptor autoradiography	396
M.D. Black, J. Simmonds, Y. Senyah, J.G. Wettstein	Neonatal nitric oxide synthase inhibition: social interaction deficits in adulthood and reversal by antipsychotic drugs	414
Z. Penke, B. Fernette, C. Nyakas, J.-P. Max, A. Burlet	Neonatal maternal deprivation modifies feeding in response to pharmacological and behavioural factors in adult rats	421
V. Girod, J. Dapzol, M. Bouvier, L. Grélot	The COX inhibitors indomethacin and meloxicam exhibit anti-emetic activity against cisplatin-induced emesis in piglets	428

NUMBER 4

S.C.R. Lummis, E.J. Fletcher, T. Green	Identification of a new site in the S1 ligand binding region of the NMDA receptor NR2A subunit involved in receptor activation by glutamate	437
A. Jouvenceau, B. Potier, F. Poindessous-Jazat, P. Dutar, A. Slama, J. Epelbaum, J.-M. Billard	Decrease in calbindin content significantly alters LTP but not NMDA receptor and calcium channel properties	444
O. Godukhin, A. Savin, S. Kalemenev, S. Levin	Neuronal hyperexcitability induced by repeated brief episodes of hypoxia in rat hippocampal slices: involvement of ionotropic glutamate receptors and L-type Ca^{2+} channels	459
S. Gullapalli, P. Ramarao	L-type Ca^{2+} channel modulation by dihydropyridines potentiates κ-opioid receptor agonist induced acute analgesia and inhibits development of tolerance in rats	467
K. Wirkner, L. Köles, S. Thümmler, J. Luthardt, W. Poelchen, H. Franke, S. Fürst, P. Illes	Interaction between P2Y and NMDA receptors in layer V pyramidal neurons of the rat prefrontal cortex	476
S. Amadio, N. D'Ambrosi, F. Cavaliere, B. Murra, G. Sancesario, G. Bernardi, G. Burnstock, C. Volonté	P2 receptor modulation and cytotoxic function in cultured CNS neurons	489
L.J. Greenfield Jr., S.H. Zaman, M.L. Sutherland, S.C.R. Lummis, M.-I. Niemeyer, E.A. Barnard, R.L. Macdonald	Mutation of the $GABA_A$ receptor M1 transmembrane proline increases GABA affinity and reduces barbiturate enhancement	502
M.F.M. Braga, V. Aroniadou–Anderjaska, R.M. Post, H. Li	Lamotrigine reduces spontaneous and evoked $GABA_A$ receptor-mediated synaptic transmission in the basolateral amygdala: implications for its effects in seizure and affective disorders	522
M. Shoaib, J. Gommans, A. Morley, I.P. Stolerman, R. Grailhe, J.-P. Changeux	The role of nicotinic receptor beta-2 subunits in nicotine discrimination and conditioned taste aversion	530
S.-E. Tan	Impairing the amphetamine conditioning in rats through the inhibition of hippocampal calcium/calmodulin-dependent protein kinase II activity	540
P.J. Scarpace, M. Matheny, Y. Zhang, N. Tümer, C.D. Frase, E.W. Shek, B. Hong, V. Prima, S. Zolotukhin	Central leptin gene delivery evokes persistent leptin signal transduction in young and aged-obese rats but physiological responses become attenuated over time in aged-obese rats	548
D. Giuliani, A. Ottani, F. Ferrari	Influence of sildenafil on copulatory behaviour in sluggish or normal ejaculator male rats: a central dopamine mediated effect?	562
M.J. Moreno, R. Abounader, E. Hébert, H. Doods, E. Hamel	Efficacy of the non-peptide CGRP receptor antagonist BIBN4096BS in blocking CGRP-induced dilations in human and bovine cerebral arteries: potential implications in acute migraine treatment	568
S.P. Brooks, G. Hennebry, G.P.R. McAlpin, G. Norman, H.J. Little	Nimodipine prevents the effects of ethanol in tests of memory	577

NUMBER 5

Mini-review **U. Gerber**	G-protein-coupled receptors, tyrosine kinases and neurotransmission	587
Interactive report **J.J. Krupp, B. Vissel, C.G. Thomas, S.F. Heinemann, G.L. Westbrook**	Calcineurin acts via the C-terminus of NR2A to modulate desensitization of NMDA receptors	593
G. Casassus, C. Mulle	Functional characterization of kainate receptors in the mouse nucleus accumbens	603
L.R.F. Faro, J.L.M. do Nascimento, M. Alfonso, R. Durán	Protection of methylmercury effects on the in vivo dopamine release by NMDA receptor antagonists and nitric oxide synthase inhibitors	612
C.D. Bonavita, V. Bisagno, C.G. Bonelli, G.B. Acosta, M.C. Rubio, S.I. Wikinski	Tolerance to the sedative effect of lorazepam correlates with a diminution in cortical release and affinity for glutamate	619
V. Dobrovitsky, P. Pimentel, A. Duarte, W. Froestl, J.R. Stellar, M. Trzcińska	CGP 44532, a $GABA_B$ receptor agonist, is hedonically neutral and reduces cocaine-induced enhancement of reward	626
M.A. Pezze, J. Feldon, C.A. Murphy	Increased conditioned fear response and altered balance of dopamine in the shell and core of the nucleus accumbens during amphetamine withdrawal	633
K. Tomiyama, F.N. McNamara, J.J. Clifford, A. Kinsella, J. Drago, O. Tighe, D.T. Croke, N. Koshikawa, J.L. Waddington	Phenotypic resolution of spontaneous and D_1-like agonist-induced orofacial movement topographies in congenic dopamine D_{1A} receptor 'knockout' mice	644

F.M. Leslie, K.A. Gallardo, M.K. Park	Nicotinic acetylcholine receptor-mediated release of [^{3}H]norepinephrine from developing and adult rat hippocampus: direct and indirect mechanisms	653
Q.-T. Nguyen, R. Miledi	Inhibition of skeletal muscle nicotinic receptors by the atypical antipsychotic clozapine	662
Q.-T. Nguyen, J. Yang, R. Miledi	Effects of atypical antipsychotics on vertebrate neuromuscular transmission	670
M.J. Millan, S. Girardon, J. Mullot, M. Brocco, A. Dekeyne	Stereospecific blockade of marble-burying behaviour in mice by selective, non-peptidergic neurokinin$_1$ (NK_1) receptor antagonists	677
A. Khorchid, Q. Cui, E. Molina-Holgado, G. Almazan	Developmental regulation of α_{1A}-adrenoceptor function in rat brain oligodendrocyte cultures	685
B.N. Mallick, S.K. Jha, F. Islam	Presence of α-1 adrenoreceptors on thermosensitive neurons in the medial preoptico-anterior hypothalamic area in rats	697
L. Van Den Bosch, P. Van Damme, V. Vleminckx, E. Van Houtte, G. Lemmens, L. Missiaen, G. Callewaert, W. Robberecht	An α-mercaptoacrylic acid derivative (PD150606) inhibits selective motor neuron death via inhibition of kainate-induced Ca^{2+} influx and not via calpain inhibition	706
S. Kikuchi, K. Shinpo, M. Niino, S. Tsuji, K. Iwabuchi, K. Onoé, K. Tashiro	Prostaglandin E_1 protects cultured spinal neurons against the effects of nitric oxide toxicity	714
T.E. Cullingford, C.T. Dolphin, H. Sato	The peroxisome proliferator-activated receptor α-selective activator ciprofibrate upregulates expression of genes encoding fatty acid oxidation and ketogenesis enzymes in rat brain	724
L.-P. Zou, N. Abbas, I. Volkmann, I. Nennesmo, M. Levi, B. Wahren, B. Winblad, G. Hedlund, J. Zhu	Suppression of experimental autoimmune neuritis by ABR-215062 is associated with altered Th1/Th2 balance and inhibited migration of inflammatory cells into the peripheral nerve tissue	731

NUMBER 6

F. Moroni, S. Attucci, A. Cozzi, E. Meli, R. Picca, M.A. Scheideler, R. Pellicciari, C. Noe, I. Sarichelou, D.E. Pellegrini-Giampietro	The novel and systemically active metabotropic glutamate 1 (mGlu1) receptor antagonist 3-MATIDA reduces post-ischemic neuronal death	741
M.G.P. Feenstra, M.H.A. Botterblom, J.F.M. van Uum	Behavioral arousal and increased dopamine efflux after blockade of NMDA-receptors in the prefrontal cortex are dependent on activation of glutamatergic neurotransmission	752
A. Mori, Y. Noda, T. Nagai, T. Mamiya, H. Furukawa, T. Nabeshima	Involvement of dopaminergic system in the nucleus accumbens in the discriminative stimulus effects of phencyclidine	764
Z.-T. Zhu, K.-Z. Shen, S.W. Johnson	Pharmacological identification of inward current evoked by dopamine in rat subthalamic neurons in vitro	772
M.L. Barbaccia, G. Colombo, D. Affricano, M.A.M. Carai, G. Vacca, S. Melis, R.H. Purdy, G.L. Gessa	$GABA_B$ receptor-mediated increase of neurosteroids by γ-hydroxybutyric acid	782
M.J. Hansen, M.J. Morris	Evidence for an interaction between neuropeptide Y and the melanocortin-4 receptor on feeding in the rat	792
H. Husum, E. Termeer, A.A. Mathé, T.G. Bolwig, B.A. Ellenbroek	Early maternal deprivation alters hippocampal levels of neuropeptide Y and calcitonin-gene related peptide in adult rats	798
F. Peña, J. Bargas, R. Tapia	Paired pulse facilitation is turned into paired pulse depression in hippocampal slices after epilepsy induced by 4-aminopyridine in vivo	807
J. Garzón, M. Rodríguez-Díaz, A. López-Fando, A. García-España, P. Sánchez-Blázquez	Glycosylated phosducin-like protein long regulates opioid receptor function in mouse brain	813
S. Hu, W.S. Sheng, J.R. Lokensgard, P.K. Peterson	Morphine induces apoptosis of human microglia and neurons	829
X. Deng, N.-S. Cai, M.T. McCoy, W. Chen, M.A. Trush, J.L. Cadet	Methamphetamine induces apoptosis in an immortalized rat striatal cell line by activating the mitochondrial cell death pathway	837
J. Krupinski, I. Ferrer, M. Barrachina, J.J. Secades, J. Mercadal, R. Lozano	CDP-choline reduces pro-caspase and cleaved caspase-3 expression, nuclear DNA fragmentation, and specific PARP-cleaved products of caspase activation following middle cerebral artery occlusion in the rat	846
P.J. Pauwels, I. Rauly, T. Wurch, F.C. Colpaert	Evidence for protean agonism of RX 831003 at α_{2A}-adrenoceptors by co-expression with different G_α protein subunits	855
B. Safieh-Garabedian, S. Poole, J.J. Haddad, C.A. Massaad, S.J. Jabbur, N.E. Saadé	The role of the sympathetic efferents in endotoxin-induced localized inflammatory hyperalgesia and cytokine upregulation	864

NUMBER 7

Review
C.D. Benham, J.B. Davis, A.D. Randall — Vanilloid and TRP channels: a family of lipid-gated cation channels — 873

V.R.J. Clarke, G.L. Collingridge — Characterisation of the effects of ATPA, a GLU_{K5} receptor selective agonist, on excitatory synaptic transmission in area CA1 of rat hippocampal slices — 889

H. Xiong, T. Futamura, H. Jourdi, H. Zhou, N. Takei, M. Diverse-Pierluissi, S. Plevy, H. Nawa — Neurotrophins induce BDNF expression through the glutamate receptor pathway in neocortical neurons — 903

S.N. Kolbaev, I.N. Sharonova, V.S. Vorobjev, V.G. Skrebitsky — Mechanisms of $GABA_A$ receptor blockade by millimolar concentrations of furosemide in isolated rat Purkinje cells — 913

J.L. Fisher — A histidine residue in the extracellular N-terminal domain of the $GABA_A$ receptor $\alpha 5$ subunit regulates sensitivity to inhibition by zinc — 922

P. Wellendorph, M.W. Goodman, E.S. Burstein, N.R. Nash, M.R. Brann, D.M. Weiner — Molecular cloning and pharmacology of functionally distinct isoforms of the human histamine H_3 receptor — 929

A.R. Ase, J. Sénécal, T.A. Reader, R. Hen, L. Descarries — Decreased G-protein coupling of serotonin 5-HT_{1A} receptors in the brain of 5-HT_{1B} knockout mouse — 941

F.C. Abogadie, R. Bron, S.J. Marsh, L.J. Drew, J.E. Haley, N.J. Buckley, D.A. Brown, P. Delmas — Adenovirus-mediated $G\alpha_q$-protein antisense transfer in neurons replicates $G\alpha_q$ gene knockout strategies — 950

D.P. Finn, M.D. Lalies, M.S. Harbuz, D.S. Jessop, A.L. Hudson, D.J. Nutt — Imidazoline$_2$ (I_2) binding site- and α_2-adrenoceptor-mediated modulation of central noradrenergic and HPA axis function in control rats and chronically stressed rats with adjuvant-induced arthritis — 958

H.C. Ellington, M.A. Cotter, N.E. Cameron, R.A. Ross — The effect of cannabinoids on capsaicin-evoked calcitonin gene-related peptide (CGRP) release from the isolated paw skin of diabetic and non-diabetic rats — 966

A.N. Mead, J.L. Katz, B.A. Rocha — Intravenous cocaine-induced activity in A/J and C57BL/6J mice: behavioral sensitization and conditioned activity — 976

L.-C. Chiou, S.-H. Fan — CompB (J-113397), selectively and competitively antagonizes nociceptin activation of inwardly rectifying K^+ channels in rat periaqueductal gray slices — 987

NUMBER 8

Review
S.N. Davies, R.G. Pertwee, G. Riedel — Functions of cannabinoid receptors in the hippocampus — 993

F. Matrisciano, M. Storto, R.T. Ngomba, I. Cappuccio, A. Caricasole, S. Scaccianoce, B. Riozzi, D. Melchiorri, F. Nicoletti — Imipramine treatment up-regulates the expression and function of mGlu2/3 metabotropic glutamate receptors in the rat hippocampus — 1008

M. Śmiałowska, B. Szewczyk, P. Brański, J.M. Wierońska, A. Pałucha, M. Bajkowska, A. Pilc — Effect of chronic imipramine or electroconvulsive shock on the expression of mGluR1a and mGluR5a immunoreactivity in rat brain hippocampus — 1016

Z. Rogóż, G. Skuza, J. Maj, W. Danysz — Synergistic effect of uncompetitive NMDA receptor antagonists and antidepressant drugs in the forced swimming test in rats — 1024

C. Shen, H. Li, E. Meller — Repeated treatment with antidepressants differentially alters 5-HT_{1A} agonist-stimulated [^{35}S]GTPγS binding in rat brain regions — 1031

A.M. Thompson, B.A. Gosnell, J.J. Wagner — Enhancement of long-term potentiation in the rat hippocampus following cocaine exposure — 1039

R.R. Matsumoto, K.A. McCracken, B. Pouw, Y. Zhang, W.D. Bowen — Involvement of sigma receptors in the behavioral effects of cocaine: evidence from novel ligands and antisense oligodeoxynucleotides — 1043

H. Sawada, M. Ibi, T. Kihara, K. Honda, T. Nakamizo, R. Kanki, M. Nakanishi, N. Sakka, A. Akaike, S. Shimohama — Estradiol protects dopaminergic neurons in a MPP^+ Parkinson's disease model — 1056

A. Bergevin, D. Girardot, M.-J. Bourque, L.-E. Trudeau — Presynaptic μ-opioid receptors regulate a late step of the secretory process in rat ventral tegmental area GABAergic neurons — 1065

J.I. Mobarakeh, S. Sakurada, T. Hayashi, T. Orito, K. Okuyama, T. Sakurada, A. Kuramasu, T. Watanabe, T. Watanabe, K. Yanai — Enhanced antinociception by intrathecally-administered morphine in histamine H_1 receptor gene knockout mice — 1079

H.M.K. Nguyen, C.M. Cahill, P.S. McPherson, A. Beaudet — Receptor-mediated internalization of [^{3}H]–neurotensin in synaptosomal preparations from rat neostriatum — 1089

K. Kato, M. Wakamori, Y. Mori, K. Imoto, K. Kitamura — Inhibitory effects of cilnidipine on peripheral and brain N-type Ca^{2+} channels expressed in BHK cells — 1099

J.-A. Kim, K. Mitsukawa, M.K. Yamada, N. Nishiyama, N. Matsuki, Y. Ikegaya — Cytoskeleton disruption causes apoptotic degeneration of dentate granule cells in hippocampal slice cultures — 1109